This page shows all the template typography in its HTML format. Visit the RokCandy Examples page for typography in the RokCandy Format.

This is a ComponentHeading

Praesent rutrum sapien ac felis. Phasellus elementum dolor quis turpis. Vestibulum nec mi vitae pede.

This is a Contentheading

Proin ac nunc eu nunc condimentum accumsan. Phasellus odio justo, euismod vitae, egestas a.

This is a H1 Header

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Proin sit amet odio quis sapien molestie ultrices.

This is a H2 Header

Proin ac nunc eu nunc condimentum accumsan. Phasellus odio justo, euismod vitae, egestas a, porttitor

This is a H3 Header

Mauris euismod. In ac massa vitae quam tincidunt dapibus. Ut at tortor nec mi mattis blandit.

This is a H4 Header

Vestibulum posuere, lacus aliquet pulvinar faucibus, tortor urna luctus diam, vitae ultrices ante.

This is a H5 Header

Pellentesque vel enim urna, sit amet blandit ipsum. Maecenas quis sem sit amet nunc pretium mattis. Sed dapibus semper est, sed pretium erat sodales sed. Aenean hendrerit fringilla sem, et tincidunt libero ornare at.

Blockquote Example

This is a blockquote, you will want to use the following formatting: <blockquote> .... </blockquote>. Praesent rutrum sapien ac felis. Phasellus elementum dolor quis turpis. Vestibulum nec mi vitae pede tincidunt nonummy.

DropCap Styles

PPraesent rutrum sapien ac felis. Phasellus elementum dolor quis turpis. Vestibulum nec mi vitae pede tincidunt nonummy. Vestibulum facilisis mollis neque. Sed orci. Cum sociis natoque penatibus et magnis dis.

You will need to use the following formatting: ** <span class=" *dropcap*">*P* **

Number Examples

1 You will need to use the following formatting: ** <span class=" *dropcap*">*1* ** .
Praesent rutrum sapien ac felis. Phasellus elementum dolor quis turpis. Vestibulum nec mi vitae pede tincidunt nonummy. Vestibulum facilisis mollis neque. Sed orci. Cum sociis natoque penatibus et magnis dis parturient.

2 You will need to use the following formatting: ** <span class=" *dropcap*">*2* ** .
Praesent rutrum sapien ac felis. Phasellus elementum dolor quis turpis. Vestibulum nec mi vitae pede tincidunt nonummy. Vestibulum facilisis mollis neque. Sed orci. Cum sociis natoque penatibus et magnis dis parturient.

3 You will need to use the following formatting: ** <span class=" *dropcap*">*3* ** .
Praesent rutrum sapien ac felis. Phasellus elementum dolor quis turpis. Vestibulum nec mi vitae pede tincidunt nonummy. Vestibulum facilisis mollis neque. Sed orci. Cum sociis natoque penatibus et magnis dis parturient.

List Styles - Icon Bullets

Below is a list with *icons*. To use this style create a list in the following format: **<ul class="***class name*
**">
....
....
**

- To use this style create a list in the following format: **<ul class="***bullet-1dd***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-1dd***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-arrow***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-arrow***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-arrow2***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-arrow2***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-briefcase***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-briefcase***">
....<**

**/li>
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-calendar***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-calendar***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-check***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-check***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-crank***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-crank***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-delete***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-delete***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-docs***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-docs***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-email***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-email***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-home***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-home***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-key***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-key***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-lock***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-lock***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-minus***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-minus***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-monitor***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-monitor***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-notes***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-notes***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-post***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-post***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-printer***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-printer***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-rss***">
....
....
** .

- To use this style create a list in the following format: **<ul class="***bullet-rss***">
....
....
** .

- To use this style create a list in the following format: **<ul class="***bullet-star***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-star***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-star2***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-star2***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-unlock***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-unlock***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-warning***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-warning***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-write***">
....
....
**

.

- To use this style create a list in the following format: **<ul class="***bullet-write***">
....
....
**

.

List Styles - Bullets

Below is a list with *bullets*. To use this style create a list in the following format: **<ul class="***class name*
**">
....
....
**

- To use this style create a list in the following format: **<ul class="***bullet-1***">
....
. ...
** .
- To use this style create a list in the following format: **<ul class="***bullet-1***">
....
. ...
** .

- To use this style create a list in the following format: **<ul class="***bullet-2***">
....
. ...
** .
- To use this style create a list in the following format: **<ul class="***bullet-2***">
....
. ...
** .

- To use this style create a list in the following format: **<ul class="***bullet-3***">
....
. ...
** .
- To use this style create a list in the following format: **<ul class="***bullet-3***">
....
. ...
** .

- To use this style create a list in the following format: **<ul class="***bullet-4***">
....
. ...
** .
- To use this style create a list in the following format: **<ul class="***bullet-4***">
....
. ...
** .

- To use this style create a list in the following format: **<ul class="***bullet-5***">
....
. ...
** .
- To use this style create a list in the following format: **<ul class="***bullet-5***">
....
. ...
** .

- To use this style create a list in the following format: **<ul class="***bullet-6***">
....
. ...
** .
- To use this style create a list in the following format: **<ul class="***bullet-6***">
....
. ...
** .

- To use this style create a list in the following format: **<ul class="***bullet-7***">
....
. ...
** .
- To use this style create a list in the following format: **<ul class="***bullet-7***">
....
.**

**......
** .

- To use this style create a list in the following format: **<ul class="***bullet-8***">
....
. ...
** .
- To use this style create a list in the following format: **<ul class="***bullet-8***">
....
. ...
** .

- To use this style create a list in the following format: **<ul class="***bullet-9***">
....
. ...
** .
- To use this style create a list in the following format: **<ul class="***bullet-9***">
....
. ...
** .

- To use this style create a list in the following format: **<ul class="***bullet-10***">
....
....
** .

- To use this style create a list in the following format: **<ul class="***bullet-10***">
....
....
** .

Emphasis Styles

This is a emphasis tag that allows you to *highlight words or phrases*. Use the following format: **<em class=" *ital ic* ">...**

This is a emphasis tag that allows you to *highlight words or phrases*. Use the following format: **<em class=" *bol d* & quot;>...**

This is a emphasis tag that allows you to *highlight words or phrases*. Use the following format: **<em class=" *bol d2* ">...**

Inset Styles

Praesent rutrum sapien ac felis. Phasellus elementum dolor quis turpis. Vestibulum nec mi vitae pede tincidunt nonummy. Vestibulum facilisis mollis neque. Sed orci. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Inset Right TitleYou will need to use the following formatting:
** .... **
... some content ...
****
Vestibulum facilisis mollis neque. Sed orci. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Sed euismod magna a nibh.

Praesent rutrum sapien ac felis. Phasellus elementum dolor quis turpis. Vestibulum nec mi vitae pede tincidunt nonummy. Vestibulum facilisis mollis neque. Sed orci. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Inset Left TitleYou will need to use the following formatting:
** .... **
... some content ...
****
Vestibulum facilisis mollis neque. Sed orci. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Sed euismod magna a nibh.

Sed euismod magna a nibh. Praesent rutrum sapien ac felis. Phasellus elementum dolor quis turpis. Vestibulum nec mi vitae pede tincidunt nonummy. Praesent rutrum sapien ac felis. Phasellus elementum dolor quis turpis. Vestibulum nec mi vitae pede tincidunt nonummy. Vestibulum facilisis mollis neque. Sed orci. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.Praesent rutrum sapien ac felis. Phasellus elementum dolor quis turpis. Vestibulum nec mi vitae pede tincidunt nonummy. Vestibulum facilisis mollis neque. Sed orci. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus.

Notice Styles

This is a sample of the *alert* style. Use this style to highlight information to your users. To use this use the following html:
** .... **
.

This is a sample of the
approved
style. Use this style to

highlight information
to your users. To use this use the following html:
** .... **
.

This is a sample of the
attention
style. Use this style to
highlight information
to your users. To use this use the following html:
** .... **
.

This is a sample of the
camera
style. Use this style to
highlight information
to your users. To use this use the following html:
** .... **
.

This is a sample of the
cart
style. Use this style to
highlight information
to your users. To use this use the following html:
** .... **
.

This is a sample of the
doc
style. Use this style to
highlight information
to your users. To use this use the following html:
** .... **
.

This is a sample of the
download
style. Use this style to
highlight information
to your users. To use this use the following html:
** .... **
.

This is a sample of the

media
style. Use this style to
highlight information
to your users. To use this use the following html:
** .... **
.

This is a sample of the
note
style. Use this style to
highlight information
to your users. To use this use the following html:
** .... **
.

This is a sample of the
notice
style. Use this style to
highlight information
to your users. To use this use the following html:
** .... **
.

This is a sample of the
quote
style. Use this style to
highlight information
to your users. To use this use the following html:
** .... **

Pre Example

This is a sample **<pre>...</pre>** tag: div.modulebox-black div.bx1 { background: url(../images/black/box_bl.png) 0 100% no-repeat; } div.modulebox-black div.bx2 { background: url(../images/black/box_tr.png) 100% 0 no-repeat; } div.modulebox-black div.bx3 { background: url(../images/black/box_tl.png) 0 0 no-repeat; padding: 0; margin: 0; }